

### **Lmx**™ System Specifications

Length 24" Width 17-1/2" Height 15-1/2" (less handle and Dimensions

detergent tank). 36" floor to top of handle.

Shipping Weight 74 pounds.

Net Weight 57 pounds with handle. 46 pounds without handle.

Handle Detachable.

Solution Tank Capacity 5 gallons, hood mounted. Detachable.

Dirty Solution

Recovery Tank Capacity 3 gallons, Clear, "see-through".

110-120 volt, 50-60 Hertz, 7.7 Amperes. 220 volt available, Power Supply

50-60 Hertz, 3.8 Amperes

Wattage 860 watts

Motor 3/4 HP @ 10,000 RPM (full load) with permanently

lubricated bearings

Transmission Primary Drive Train - Helical gears permanently lubricated.

Secondary Drive Train - Chain Drive.

**Brush Construction** Rigid vinyl core, with 1-1/8" tynex bristles secured by

3 layers of epoxy resin-impregnated heavy cord.

Length - 13" Diameter - 4-3/4" Stiff bristle brush available.

Controls 2 illuminated rocker type switches mounted on handle.

(Color coded control panel.) Red - Motor and light control. White - Controls detergent through electric solenoid valve.

**Detergent Flow Control** Adjustable flow output, slow to fast.

**Defoaming Process** Liquidator added directly into the Liquidator tank which defoams

soiled bubbles for easy disposal.

Color Von Schrader gray hood and detergent tank. Clear recovery tank.

Steel Components - black epoxy painted for durability.

Power Supply Cord 50 foot, non-marring, 3-wire.

Operating Principle One pass. Air and detergent are mixed under pressure to generate a dense, low moisture cleaning agent discharged ahead of the

machine and cylindrical nylon brush. The brush applies aerated detergent to loosen dirt from base to tip of each carpet fiber. Dirt held in suspension is removed by vacuum located immediately behind the brush. Vacuum lifts dirt, depositing it in recovery tank where cleaning agent is reduced to liquid for easy disposal.

From 1 hour to less than 2 hours, depending on environmental

humidity and carpet pile depth and density.

Warranty 1 year warranty.

Made in U.S.A.



### **Green Cleaning That Really Works**

Drying Time

Certified



Compliance

**Avoids** 



Mold & Mildew, Allergens

**Economical** 



Usage

Non Toxic



Chemical **Fumes** 

**Enhances** 



Indoor Air Quality

Anti



Resoiling



Usage

Initial & Ongoing Cost



Downtime

WORLDWIDE AVAILABILITY - Von Schrader equipment is available in every U.S. and Canadian city and most countries of the world.

### OTHER QUALITY CLEANING SYSTEMS FROM VON SCHRADER

**Industry Sales Leader in High Speed Extraction** 



VS Mach-12 High Speed Extraction System™

Recommended and Approved for Safe Delicate Fabrics and **Industrial Leather Cleaning** 



Esprit Upholstery Extraction System™



Aridex Upholstery Extraction System™


Contact us for a personal test today!



1600 Junction Avenue Tel: 262-634-1956 800-626-6916

Racine, WI 53403 Fax: 262-634-2888 www.vonschrader.com

Printed in U.S.A. ©VON SCHRADER COMPANY Form 2520C








Low Mositure Soil Extraction Carpet Cleaning System

The LMX<sup>™</sup> system converts the Von Schrader Certified Advanced Air Cell cleaning solution into low moisture, anti-resoiling air cell bubbles. These cleaning bubbles are fed into the brushing chamber where an exclusive full bristle brush gently loosens and dissolves soil. The emulsified soil is suspended in the air cell bubbles and is immediately extracted by the built-in vacuum system, all in one forward pass, by one person.

Carpets are deep cleaned faster and they dry quicker than with other systems. Another benefit, low moisture means no risk of mildew caused by over wetting.



#### Easy to operate

No special skill is needed to operate the system. Regular maintenance staff will do a professional job every time. JUST FILL THE TANK, PRESS TWO SWITCHES AND GO.

#### Lightweight, compact, portable

The minimal weight provides optimal balance which speeds up the cleaning process, reducing operator fatigue.

Both the handle and tank are easily removed for space-saving storage and transporting.

#### Simple to access

The hood is easily removed for ready access to the entire system. Adjustments or do-it-yourself parts replacement are done quickly with no specialized service tools. Downtime and labor costs are minimized.



We Build High Quality Custom Machines Heavy extruded aluminum frame plus reinforced aluminum housing. Designed to withstand tough use and abuse.

Non marking rear wheels allow the system to move forward and tilt backwards easier for more convenient maneuvering, simplifying stair climbing and moving from location to location.



Immediate Soil
Extraction
Clear See-Through
Recovery Tank
Slides out for easy
emptying. Automatic
defoaming system

converts air cell bubbles back into a liquid solution.



Special Stiff Brush Available for Low Profile Carpet Thicker, stiffer black bristle brush is more aggressive than our standard white bristle brush which makes it

extremely effective for commercial applications where carpet is severely soiled with oily deposits and deeply embedded soil. It speeds up restoration and cuts labor costs.

#### **Customer Service and Training**

- Complete factory supported toll free call center 800-626-6916
- DVD & Hardcover Instruction Manuals
- State of the art training facility at factory and across the country

#### We manufacture the correct cleaning solutions to meet your needs.



All of Von Schrader detergents are designed and engineered to be the state of the art. They are of the highest quality, and greatest value. These cleaning products give the best results when used in OUR cleaning systems.

Our super concentrated, anti-resoiling, cleaning solution reduces costs and increases performance in the LMX system. It is formulated to be strong enough to remove deeply embedded oily soil in just one pass. This works on both synthetic and natural carpet fibers. It is gentle enough to clean without damage to the fibers and is green seal certified. This cleaning solution has high margins of safety for optimum performance. One gallon of concentrate cleans up to 3,200 sq. ft. at about 1 cent per sq. ft.

### The Pictures Below Are LMX System Results.







## Other Features & Benefits of the system:

- Uses Air Cell Cleaning Bubbles not gallons of water and eliminates problems associated with wet extraction.
- Dries quickly, often in less then one hour reducing down time.
- Extracts and encapsulates soil so carpets stay cleaner longer.
- The LMX is an integrated system which makes it easy to use. It's so unique that it is patented.
- Advanced air cell technology makes cleaning fast, easy, convenient and the best way to clean carpets.
- The (Certified Advanced Air Cell Formula) seal of approval on our bottle assures you optimum performance and results from the LMX system.

#### **Wetness Comparison**

Each photo shows what happens when air cells or liquid are applied to paper napkins by two different methods of extraction cleaning.

30 seconds elapsed time



Controlled


**Loss of Control** 

Air Cell Extraction<sup>TM</sup> technology uses thousands of tiny Air Cells which are 90% air and only 10% moisture. Notice the limited wetting and migration of Air Cells on the left compared to an equal volume of competitive solution on the right. Air cells control the cleaning process and problems associated with over wetting carpet.

#### Von Schrader Air Cell Technology Minimizes Moisture! Avoids Over Wetting!

Air Cell Bubbles Help Overcome Gravity, Control Moisture and Suspend Soil. Plus it's Anti-Resoiling.

Microscopically Thin Layer of our Advanced Cleaning Formula Deep Cleans and Encapsulates to Trap and Hold Dirt.



# Safe for people, pets, carpet and the environment.

Our cleaning process uses <u>gentle</u>, <u>biodegradable</u>, <u>non-toxic</u>, <u>and fragrance-free cleaning agents</u> that leave no sticky or oily residue to attract and hold soil.





- Green Seal Certified
- Woolsafe approved
- Carpet Mill recommended
- Partner Status E.P.A. SDSI
- Boeing Aircraft approved